## Weekly Metrics for March 2 - 8, 2003

Mission (Launch	Instrument	Category	Data Center	RQMTS (GB)	Requirements * Factor	Actual (GB)	Footnote
Date)							
SORCE (1/03)	TIM/SIM/ SOLSTICE/ XPS	L0 Ingest Archive	GSFC GSFC	0.8 0.8	1X Baseline 1X Baseline	1 1	U U
ICESat	GLAS	L0 Ingest	NSIDC	41	1X Baseline	36	
(1/03)	GLAS	Archive	NSIDC	41	1X Baseline	38	
(1/03)	AIRS	L0 Ingest	GSFC	98	1X Baseline	89	A
Aqua (5/02)	7 HIKS	L1 Prod	GSFC	400	1X Baseline	0	A, V
		Archive	GSFC	498	1X Baseline	94	A, V
	AMSR-E	L0 Ingest	NSIDC	10	1X Baseline	6	В
		L1 Ingest	NSIDC	10	1X Baseline	0	В, С
		L2-L3 Prod	GHRC	12	0.5X Baseline	0	
		Archive	NSIDC	32	Baseline	6	C C
		Distribution	NSIDC				
		Production				7	
		End Users		17	0.5X Baseline	1	C, G
	CERES	Archive	LaRC	58	Baseline	Included	
		Distribution	LaRC			In	See
		Testing/QA		1,421	IT Requirements	Terra	Footnote S
		End Users		107	1X Baseline	CERES	
	MODIS	L0 Ingest	GSFC	469	1X Baseline	506	
		L1 Prod	GSFC	2,498	1X Baseline	2,503	
		L2-L4 Prod	MODAPS	801	0.5X Baseline	3,865	R
		Archive	EDC	540	Baseline	2,213	R
			GSFC	3,172	Baseline	4,582	R
		Division of	NSIDC	56	Baseline	103	R
		Distribution Testing/QA	GSFC	362	IT Requirements	304	
		To MODAPS/LaRC		2.502	477.75 11	2,288	G 0
) (EEEEOD O) (	G A GE WI	End Users	I DC	2,703	1X Baseline	459	G, O
METEOR 3M (12/01)	SAGE III	Archive	LaRC	0.8	1X Baseline	0.5	D
ACRIMSAT (12/99)	ACRIM 3	Archive	LaRC	0.06	1X Baseline	0	D
	ASTER	L1A Ingest	EDC	680	1X Baseline	210	W
		L1B Ingest	EDC	271	1X Baseline	19	W
		L2-L3 Prod	EDC	1,203	3X Baseline	105	W
		Archive	EDC	2,154	Baseline	347	W
		Distribution End Users	EDC	1 252	1X Baseline	195	$G \cap P$
	CERES	Archive	LaRC	1,352 351	Baseline	TBD	G, O, P S
	CERES	Distribution	LaRC	331	Daseille	160	S
		Testing/QA	Lake	1,421	IT Requirements	TBD	S
		End Users		117	1X Baseline	TBD	G, O
	MISR	L0 Ingest	LaRC	249	1X Baseline	255	5, 5
	1711513	L1 Prod	LaRC	3,323	3X Baseline	1,318	F
		L2-L3 Prod	LaRC	281	3X Baseline	129	F
		Archive	LaRC	3,853	Baseline	1,714	F
		Distribution	LaRC	2,222		-,	•
		Testing/QA		137	IT Requirements	98	
		Production			<b>.</b>	1,272	
		End Users		1,201	1X Baseline	745	G
Terra	MODIS	L0 Ingest	GSFC	469	1X Baseline	508	
(12/99)		L1 Prod	GSFC	7,494	3X Baseline	13,206	M

		L2-L4 Prod	MODAPS	14,254	3X Baseline	11,660	Q, T
		Archive	EDC	8,606	Baseline (L2-L4)	8,398	
			GSFC	12,772	Baseline (L0-L4)	16,542	I, Q
			JPL	0	Baseline (L2-3)	29	, ,
			NSIDC	839	Baseline (L2-L3)	480	I, Q
		Distribution	EDC		, ,		
		End Users		2,869	1X Baseline	1,114	G, O
		Distribution	GSFC				
		Testing/QA		362	IT Requirements	405	
		To MODAPS/LaRC			•	10,979	
		End users		4,101	1X Baseline	1,829	G, O
		Distribution	JPL				
		End Users		0	Baseline	0	
		Distribution	NSIDC				
		End Users		280	1X Baseline	60	G, O
	MOPITT	L0 Ingest	LaRC	2	1X Baseline	2	
		L1 Prod	SIPS	2	3X Baseline	3	J
		L2 Prod	SIPS	2	3X Baseline	3	J
		Archive	LaRC	5	Baseline	9	J
		Distribution	LaRC				
		Production				4	G
		End Users		1	1X Baseline	9	
Landsat-7	ETM+	Archive	EDC	1,071	250 Scenes	951	
(4/99)		Distribution	EDC	58	ECS ICD	40	
Jason-1	Poseidon 2	Archive (L0+)	JPL			1	
(12/01)		Distribution	JPL	NA	NA	9	
QuikScat	SeaWinds	Archive (L0+)	JPL			21	
(6/99)		Distribution	JPL	109	Weekly Average	427	K
TOPEX	Poseidon	Archive (L1+)	JPL			0	
(8/92)		Distribution	JPL	24	Weekly Average	87	K
Other	AVHRR	Archive (L2+)	JPL			108	
Missions		Distribution	JPL	NA	NA	82	L

Notes:

- A. Includes data volumes for 3 instruments (AIRS, AMSU, and HSB).
- B. The actual L0 data rate from AMSR-E is 6.6 GB/week. This is lower than ESDIS baseline requirement. Updating of the baselined requirement is in process.
- C. The Japanese EOC is not planning to process and send any more AMSR-E data to US until AMSR-E calibration method is well established. It is expected that calibration will not be completed until March April 2003. Regular delivery to US science team is not expected to start until May 2003.
- D. Data from these instruments are not transmitted to DAAC daily.
- E. Volumes of ASTER L1A and L1B products are a function of production at ERSDAC in Japan. L1A and L1B volumes include the expedited data sets generated at EDC. ASTER L2 products are produced on demand, and the actual volumes may be significantly different from requirements.
- F. Very little reprocessing was done.
- G. Distribution requirements represent the delivered capacity for distribution. Because distribution is based on user orders, the actual distribution volumes may be significantly different from the available capacity.
- I. Ingest/archival of MODIS L2+ products is dependent on MODAPS reprocessing schedule.
- J. LaRC DAAC received the reprocessed L1 and L2 data for a majority of the months in the 2000 2003 timeframe from MOPITT SIPS.
- K. Distribution requirements are weekly averages of media distribution volumes based on subscriptions for a full year.
- L. Includes distribution of educational materials, in addition to AVHRR SST products.
- M. Actual archival volume includes that of the reprocessing campaign in addition to the current data.
- N. Does not include distribution by subsetting tool.
- O. Does not include distribution by data pool.
- P. Orders have decreased sharply with the advent of charging for low-level ASTER data.
- Q. Values reported here represent what have been archived at DAACs. MODAPS production may be higher.
- R. Ingest/archival of MODIS L2+ products are dependent on MODAPS processing schedule.
- S. Actual archival volume represents a total for 3 missions (TRMM, Terra, and Aqua).
- T. With the completion of the reprocessing of ocean products, only atmospheric and land products were reprocessed.

- U. Required and actual data volumes are for L0 products only. Higher-level products will not be available for the next 4 months.
- V. No product was generated after Feb 27. AIRS team suspended production, pending delivery and installation of a software patch to the AIRS Version 2.7 software. Production is expected to resume at the end of this week or early next week.
- W. A large number of tapes sent by Japan were defective and unreadable.
- \* Baseline requirements refer to the September 2000 EOSDIS technical baseline (i.e., 3 X Baseline means three times the baseline). The QA requirements for distribution are the Level 2 requirements based on inputs from instrument teams (ITs).